




# Anemostat®

AIR DISTRIBUTION

## SUBMITTAL SHEET

www.anemostat-hvac.com



Model **SAG**

**STAMPED**


**ARCHITECTURAL GRILLE**

**P10**

7/16"Ø ON 11/16"

60° STAGGERED CENTERS

37% Free Area



# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H
1	0.438	0.438	22	14.875	12.941	43	29.313	25.444
2	1.125	1.033	23	15.563	13.536	44	30.000	26.039
3	1.813	1.628	24	16.250	14.132	45	30.688	26.635
4	2.500	2.224	25	16.938	14.727	46	31.375	27.230
5	3.188	2.819	26	17.625	15.322	47	32.063	27.826
6	3.875	3.414	27	18.313	15.918	48	32.750	28.421
7	4.563	4.010	28	19.000	16.513	49	33.438	29.016
8	5.250	4.605	29	19.688	17.108	50	34.125	29.612
9	5.938	5.201	30	20.375	17.704	51	34.813	30.207
10	6.625	5.796	31	21.063	18.299	52	35.500	30.803
11	7.313	6.391	32	21.750	18.895	53	36.188	31.398
12	8.000	6.987	33	22.438	19.490	54	36.875	31.993
13	8.688	7.582	34	23.125	20.085	55	37.563	32.589
14	9.375	8.178	35	23.813	20.681	56	38.250	33.184
15	10.063	8.773	36	24.500	21.276	57	38.938	33.779
16	10.750	9.368	37	25.188	21.872	58	39.625	34.375
17	11.438	9.964	38	25.875	22.467	59	40.313	34.970
18	12.125	10.559	39	26.563	23.062	60	41.000	35.566
19	12.813	11.155	40	27.250	23.658	61	41.688	36.161
20	13.500	11.750	41	27.938	24.253			
21	14.188	12.345	42	28.625	24.849			


All dimensions are in inches.

JOB NAME:

SUBMITTED BY:

### PRODUCT FEATURES

- Decorative stamped grille for use with HVAC supply, return, and transfer applications.
- Many patterns available to enhance appearance of the space.
- Fabricated to exacting specifications for pattern, size, material, gauge, finish, and installation.
- See "How To Specify / Order" for available materials, finishes and options.



Qty	Order Size (Nom Duct Size)		Face Overall Size (O.D.)		Pattern #	Pattern Size		# of Patterns / Holes	Screw Holes / Location / Size / Qty					Actual Border		Material		Finish	Volume Control Damper	
	W	H	W	H		W	H		X	Y	S	Size	# Holes	W	H	Type	Thickness			

Notes: Grilles can be fabricated to most any specification. Here are "typical" specifications:

- Face Overall Size = Order Size + 2-1/2"
- Screw Hole Size: #8
- Actual Border calculated based on Order Size, Face Overall Size, and Pattern selected
- Opposed-blade volume damper can be tack welded directly to face. Some minor blemishes may be visible. Damper operator may be difficult to access (behind a fret).

All dimensions are in inches.

# SUBMITTAL SHEET

**SAG / 12.00 / 12.00 / P11 / 14 / 2.50 / ST / WH / N1**

**Model** \_\_\_\_\_  
**SAG** - Stamped Architectural Grille

**Nominal Duct Width** \_\_\_\_\_  
06.00" to 36.00"

**Nominal Duct Height** \_\_\_\_\_  
06.00" to 36.00"

**Pattern Number** \_\_\_\_\_  
(see submittal library for available patterns)

**Face Gauge** \_\_\_\_\_

- 7 - (3/16")
- 8 - (8 GA)
- 10 - (10 GA)
- 12 - (12 GA)
- 14 - (14 GA)
- 16 - (16 GA)
- 18 - (18 GA)
- 20 - (20 GA)

- Overall Face Size** \_\_\_\_\_
- 2.00** - Order size plus 2"  
(Approx. 1" Border)
  - 2.50** - Order size plus 2-1/2"  
(Approx. 1-1/2" Border)
  - 3.50** - Order size plus 3-1/2"  
(Approx. 2" Border)

- Material** \_\_\_\_\_
- ST** - Steel
  - 04** - 304 Stainless Steel
  - 16** - 316 Stainless Steel
  - AL** - Aluminum
  - GZ** - Steel, Galvanized (G90)
  - 280** - Muntz Metal
  - 220** - Commercial Bronze

**Options**

- C6** - 1" Collar (20 GA thick)
- N1** - No Screw Holes
- 99** - Special Construction  
(Provide Details)

**Finish**

- WH** - Arctic White
- 4P** - Satin Polish
- ML** - Mill Finish
- WE** - White Epoxy
- SV** - Silver
- LB** - Light Bronze
- MB** - Medium Bronze
- CB** - California Bronze
- FB** - Flat Black
- GB** - Gloss Black
- BG** - Beige
- GP** - Grey Primer
- RP** - Rust Inhibiting Prime Coat
- C1** - Custom Color Match #1  
Baked Enamel
- C2** - Custom Color Match #2  
Baked Enamel
- C3** - Custom Color Match #3  
Baked Enamel

**Custom Finishing Available**

**NOTE:** Pattern / Material Type / Material Gauge determine availability.  
Contact your Anemostat Representative with specific requirements

All dimensions are in inches.