


**40% Free Area**



# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H
1	0.188	0.188	31	7.495	8.625	61	14.802	17.063	91	22.109	25.500	121	29.416	33.938
2	0.431	0.469	32	7.738	8.906	62	15.045	17.344	92	22.352	25.781	122	29.659	34.219
3	0.675	0.750	33	7.982	9.188	63	15.289	17.625	93	22.596	26.063	123	29.903	34.500
4	0.918	1.031	34	8.225	9.469	64	15.532	17.906	94	22.839	26.344	124	30.147	34.781
5	1.162	1.313	35	8.469	9.750	65	15.776	18.188	95	23.083	26.625	125	30.390	35.063
6	1.405	1.594	36	8.712	10.031	66	16.020	18.469	96	23.327	26.906	126	30.634	35.344
7	1.649	1.875	37	8.956	10.313	67	16.263	18.750	97	23.570	27.188	127	30.877	35.625
8	1.892	2.156	38	9.200	10.594	68	16.507	19.031	98	23.814	27.469	128	31.121	35.906
9	2.136	2.438	39	9.443	10.875	69	16.750	19.313	99	24.057	27.750	129	31.364	36.188
10	2.380	2.719	40	9.687	11.156	70	16.994	19.594	100	24.301	28.031	130	31.608	36.469
11	2.623	3.000	41	9.930	11.438	71	17.237	19.875	101	24.544	28.313	131	31.852	36.750
12	2.867	3.281	42	10.174	11.719	72	17.481	20.156	102	24.788	28.594	132	32.095	37.031
13	3.110	3.563	43	10.417	12.000	73	17.725	20.438	103	25.032	28.875	133	32.339	37.313
14	3.354	3.844	44	10.661	12.281	74	17.968	20.719	104	25.275	29.156	134	32.582	37.594
15	3.597	4.125	45	10.905	12.563	75	18.212	21.000	105	25.519	29.438	135	32.826	37.875
16	3.841	4.406	46	11.148	12.844	76	18.455	21.281	106	25.762	29.719	136	33.069	38.156
17	4.085	4.688	47	11.392	13.125	77	18.699	21.563	107	26.006	30.000	137	33.313	38.438
18	4.328	4.969	48	11.635	13.406	78	18.942	21.844	108	26.249	30.281	138	33.557	38.719
19	4.572	5.250	49	11.879	13.688	79	19.186	22.125	109	26.493	30.563	139	33.800	39.000
20	4.815	5.531	50	12.122	13.969	80	19.430	22.406	110	26.737	30.844	140	34.044	39.281
21	5.059	5.813	51	12.366	14.250	81	19.673	22.688	111	26.980	31.125	141	34.287	39.563
22	5.302	6.094	52	12.610	14.531	82	19.917	22.969	112	27.224	31.406	142	34.531	39.844
23	5.546	6.375	53	12.853	14.813	83	20.160	23.250	113	27.467	31.688	143	34.774	40.125
24	5.790	6.656	54	13.097	15.094	84	20.404	23.531	114	27.711	31.969	144	35.018	40.406
25	6.033	6.938	55	13.340	15.375	85	20.647	23.813	115	27.954	32.250	145	35.262	40.688
26	6.277	7.219	56	13.584	15.656	86	20.891	24.094	116	28.198	32.531	146	35.505	40.969
27	6.520	7.500	57	13.827	15.938	87	21.134	24.375	117	28.442	32.813	147	35.749	41.250
28	6.764	7.781	58	14.071	16.219	88	21.378	24.656	118	28.685	33.094	148	35.992	41.531
29	7.007	8.063	59	14.315	16.500	89	21.622	24.938	119	28.929	33.375	149	36.236	41.813
30	7.251	8.344	60	14.558	16.781	90	21.865	25.219	120	29.172	33.656			


All dimensions are in inches.

**JOB NAME:**

**SUBMITTED BY:**

### PRODUCT FEATURES

- Decorative stamped grille for use with HVAC supply, return, and transfer applications.
- Many patterns available to enhance appearance of the space.
- Fabricated to exacting specifications for pattern, size, material, gauge, finish, and installation.
- See "How To Specify / Order" for available materials, finishes and options.



Qty	Order Size (Nom Duct Size)		Face Overall Size (O.D.)		Pattern #	Pattern Size		# of Patterns / Holes	Screw Holes / Location / Size / Qty					Actual Border		Material		Finish	Volume Control Damper	
	W	H	W	H		W	H		X	Y	S	Size	# Holes	W	H	Type	Thickness			

Notes: Grilles can be fabricated to most any specification. Here are "typical" specifications:

- Face Overall Size = Order Size + 2-1/2"
- Screw Hole Size: #8
- Actual Border calculated based on Order Size, Face Overall Size, and Pattern selected
- Opposed-blade volume damper can be tack welded directly to face. Some minor blemishes may be visible. Damper operator may be difficult to access (behind a fret).

All dimensions are in inches.

# SUBMITTAL SHEET

**SAG / 12.00 / 12.00 / P11 / 14 / 2.50 / ST / WH / N1**

**Model** \_\_\_\_\_  
**SAG** - Stamped Architectural Grille

**Nominal Duct Width** \_\_\_\_\_  
 06.00" to 36.00"

**Nominal Duct Height** \_\_\_\_\_  
 06.00" to 36.00"

**Pattern Number** \_\_\_\_\_  
 (see submittal library for available patterns)

**Face Gauge** \_\_\_\_\_  
 7 - (3/16")

- 8 - (8 GA)
- 10 - (10 GA)
- 12 - (12 GA)
- 14 - (14 GA)
- 16 - (16 GA)
- 18 - (18 GA)
- 20 - (20 GA)

- Overall Face Size** \_\_\_\_\_
- 2.00** - Order size plus 2"  
(Approx. 1" Border)
  - 2.50** - Order size plus 2-1/2"  
(Approx. 1-1/2" Border)
  - 3.50** - Order size plus 3-1/2"  
(Approx. 2" Border)

- Material** \_\_\_\_\_
- ST** - Steel
  - 04** - 304 Stainless Steel
  - 16** - 316 Stainless Steel
  - AL** - Aluminum
  - GZ** - Steel, Galvanized (G90)
  - 280** - Muntz Metal
  - 220** - Commercial Bronze

- Options**
- C6** - 1" Collar (20 GA thick)
  - N1** - No Screw Holes
  - 99** - Special Construction  
(Provide Details)

- Finish**
- WH** - Arctic White
  - 4P** - Satin Polish
  - ML** - Mill Finish
  - WE** - White Epoxy
  - SV** - Silver
  - LB** - Light Bronze
  - MB** - Medium Bronze
  - CB** - California Bronze
  - FB** - Flat Black
  - GB** - Gloss Black
  - BG** - Beige
  - GP** - Grey Primer
  - RP** - Rust Inhibiting Prime Coat
  - C1** - Custom Color Match #1  
Baked Enamel
  - C2** - Custom Color Match #2  
Baked Enamel
  - C3** - Custom Color Match #3  
Baked Enamel

**Custom Finishing Available**

**NOTE:** Pattern / Material Type / Material Gauge determine availability.  
 Contact your Anemostat Representative with specific requirements

All dimensions are in inches.