




Anemostat
AIR DISTRIBUTION

SUBMITTAL SHEET

www.anemostat-hvac.com




Model **SAG**

**STAMPED
ARCHITECTURAL GRILLE
P7**

3/16"Ø ON 1/4"
60° STAGGERED CENTERS

51% Free Area



# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H
1	0.188	0.188	35	7.549	8.688	69	14.910	17.188	103	22.271	25.688	137	29.632	34.188
2	0.404	0.438	36	7.765	8.938	70	15.126	17.438	104	22.488	25.938	138	29.849	34.438
3	0.621	0.688	37	7.982	9.188	71	15.343	17.688	105	22.704	26.188	139	30.065	34.688
4	0.837	0.938	38	8.198	9.438	72	15.559	17.938	106	22.921	26.438	140	30.282	34.938
5	1.054	1.188	39	8.415	9.688	73	15.776	18.188	107	23.137	26.688	141	30.498	35.188
6	1.270	1.438	40	8.631	9.938	74	15.992	18.438	108	23.354	26.938	142	30.715	35.438
7	1.487	1.688	41	8.848	10.188	75	16.209	18.688	109	23.570	27.188	143	30.931	35.688
8	1.703	1.938	42	9.064	10.438	76	16.425	18.938	110	23.787	27.438	144	31.148	35.938
9	1.920	2.188	43	9.281	10.688	77	16.642	19.188	111	24.003	27.688	145	31.364	36.188
10	2.136	2.438	44	9.497	10.938	78	16.858	19.438	112	24.220	27.938	146	31.581	36.438
11	2.353	2.688	45	9.714	11.188	79	17.075	19.688	113	24.436	28.188	147	31.797	36.688
12	2.569	2.938	46	9.930	11.438	80	17.292	19.938	114	24.653	28.438	148	32.014	36.938
13	2.786	3.188	47	10.147	11.688	81	17.508	20.188	115	24.869	28.688	149	32.230	37.188
14	3.002	3.438	48	10.363	11.938	82	17.725	20.438	116	25.086	28.938	150	32.447	37.438
15	3.219	3.688	49	10.580	12.188	83	17.941	20.688	117	25.302	29.188	151	32.663	37.688
16	3.435	3.938	50	10.796	12.438	84	18.158	20.938	118	25.519	29.438	152	32.880	37.938
17	3.652	4.188	51	11.013	12.688	85	18.374	21.188	119	25.735	29.688	153	33.096	38.188
18	3.868	4.438	52	11.229	12.938	86	18.591	21.438	120	25.952	29.938	154	33.313	38.438
19	4.085	4.688	53	11.446	13.188	87	18.807	21.688	121	26.168	30.188	155	33.529	38.688
20	4.301	4.938	54	11.662	13.438	88	19.024	21.938	122	26.385	30.438	156	33.746	38.938
21	4.518	5.188	55	11.879	13.688	89	19.240	22.188	123	26.601	30.688	157	33.962	39.188
22	4.734	5.438	56	12.095	13.938	90	19.457	22.438	124	26.818	30.938	158	34.179	39.438
23	4.951	5.688	57	12.312	14.188	91	19.673	22.688	125	27.034	31.188	159	34.396	39.688
24	5.167	5.938	58	12.528	14.438	92	19.890	22.938	126	27.251	31.438	160	34.612	39.938
25	5.384	6.188	59	12.745	14.688	93	20.106	23.188	127	27.467	31.688	161	34.829	40.188
26	5.600	6.438	60	12.961	14.938	94	20.323	23.438	128	27.684	31.938	162	35.045	40.438
27	5.817	6.688	61	13.178	15.188	95	20.539	23.688	129	27.900	32.188	163	35.262	40.688
28	6.033	6.938	62	13.394	15.438	96	20.756	23.938	130	28.117	32.438	164	35.478	40.938
29	6.250	7.188	63	13.611	15.688	97	20.972	24.188	131	28.333	32.688	165	35.695	41.188
30	6.466	7.438	64	13.827	15.938	98	21.189	24.438	132	28.550	32.938	166	35.911	41.438
31	6.683	7.688	65	14.044	16.188	99	21.405	24.688	133	28.766	33.188	167	36.128	41.688
32	6.899	7.938	66	14.260	16.438	100	21.622	24.938	134	28.983	33.438			
33	7.116	8.188	67	14.477	16.688	101	21.838	25.188	135	29.199	33.688			
34	7.332	8.438	68	14.693	16.938	102	22.055	25.438	136	29.416	33.938			


All dimensions are in inches.

JOB NAME:

SUBMITTED BY:

PRODUCT FEATURES

- Decorative stamped grille for use with HVAC supply, return, and transfer applications.
- Many patterns available to enhance appearance of the space.
- Fabricated to exacting specifications for pattern, size, material, gauge, finish, and installation.
- See "How To Specify / Order" for available materials, finishes and options.



Qty	Order Size (Nom Duct Size)		Face Overall Size (O.D.)		Pattern #	Pattern Size		# of Patterns / Holes	Screw Holes / Location / Size / Qty					Actual Border		Material		Finish	Volume Control Damper	
	W	H	W	H		W	H		X	Y	S	Size	# Holes	W	H	Type	Thickness			

Notes: Grilles can be fabricated to most any specification. Here are "typical" specifications:

- Face Overall Size = Order Size + 2-1/2"
- Screw Hole Size: #8
- Actual Border calculated based on Order Size, Face Overall Size, and Pattern selected
- Opposed-blade volume damper can be tack welded directly to face. Some minor blemishes may be visible. Damper operator may be difficult to access (behind a fret).

All dimensions are in inches.

SUBMITTAL SHEET

SAG / 12.00 / 12.00 / P11 / 14 / 2.50 / ST / WH / N1

Model _____
SAG - Stamped Architectural Grille

Nominal Duct Width _____
06.00" to 36.00"

Nominal Duct Height _____
06.00" to 36.00"

Pattern Number _____
(see submittal library for available patterns)

Face Gauge _____

- 7 - (3/16")
- 8 - (8 GA)
- 10 - (10 GA)
- 12 - (12 GA)
- 14 - (14 GA)
- 16 - (16 GA)
- 18 - (18 GA)
- 20 - (20 GA)

Overall Face Size _____

- 2.00** - Order size plus 2"
(Approx. 1" Border)
- 2.50** - Order size plus 2-1/2"
(Approx. 1-1/2" Border)
- 3.50** - Order size plus 3-1/2"
(Approx. 2" Border)

Material _____

- ST** - Steel
- 04** - 304 Stainless Steel
- 16** - 316 Stainless Steel
- AL** - Aluminum
- GZ** - Steel, Galvanized (G90)
- 280** - Muntz Metal
- 220** - Commercial Bronze

Options

- C6** - 1" Collar (20 GA thick)
- N1** - No Screw Holes
- 99** - Special Construction
(Provide Details)

Finish

- WH** - Arctic White
- 4P** - Satin Polish
- ML** - Mill Finish
- WE** - White Epoxy
- SV** - Silver
- LB** - Light Bronze
- MB** - Medium Bronze
- CB** - California Bronze
- FB** - Flat Black
- GB** - Gloss Black
- BG** - Beige
- GP** - Grey Primer
- RP** - Rust Inhibiting Prime Coat
- C1** - Custom Color Match #1
Baked Enamel
- C2** - Custom Color Match #2
Baked Enamel
- C3** - Custom Color Match #3
Baked Enamel

Custom Finishing Available

NOTE: Pattern / Material Type / Material Gauge determine availability.
Contact your Anemostat Representative with specific requirements

All dimensions are in inches.