


46% Free Area



# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H
1	0.313	0.313	25	10.813	9.406	49	21.313	18.499	73	31.813	27.592
2	0.750	0.691	26	11.250	9.785	50	21.750	18.878	74	32.250	27.971
3	1.188	1.070	27	11.688	10.164	51	22.188	19.257	75	32.688	28.350
4	1.625	1.449	28	12.125	10.542	52	22.625	19.636	76	33.125	28.729
5	2.063	1.828	29	12.563	10.921	53	23.063	20.015	77	33.563	29.108
6	2.500	2.207	30	13.000	11.300	54	23.500	20.393	78	34.000	29.487
7	2.938	2.586	31	13.438	11.679	55	23.938	20.772	79	34.438	29.866
8	3.375	2.965	32	13.875	12.058	56	24.375	21.151	80	34.875	30.245
9	3.813	3.344	33	14.313	12.437	57	24.813	21.530	81	35.313	30.623
10	4.250	3.722	34	14.750	12.816	58	25.250	21.909	82	35.750	31.002
11	4.688	4.101	35	15.188	13.195	59	25.688	22.288	83	36.188	31.381
12	5.125	4.480	36	15.625	13.574	60	26.125	22.667	84	36.625	31.760
13	5.563	4.859	37	16.063	13.952	61	26.563	23.046	85	37.063	32.139
14	6.000	5.238	38	16.500	14.331	62	27.000	23.425	86	37.500	32.518
15	6.438	5.617	39	16.938	14.710	63	27.438	23.803	87	37.938	32.897
16	6.875	5.996	40	17.375	15.089	64	27.875	24.182	88	38.375	33.276
17	7.313	6.375	41	17.813	15.468	65	28.313	24.561	89	38.813	33.654
18	7.750	6.754	42	18.250	15.847	66	28.750	24.940	90	39.250	34.033
19	8.188	7.132	43	18.688	16.226	67	29.188	25.319	91	39.688	34.412
20	8.625	7.511	44	19.125	16.605	68	29.625	25.698	92	40.125	34.791
21	9.063	7.890	45	19.563	16.983	69	30.063	26.077	93	40.563	35.170
22	9.500	8.269	46	20.000	17.362	70	30.500	26.456	94	41.000	35.549
23	9.938	8.648	47	20.438	17.741	71	30.938	26.835	95	41.438	35.928
24	10.375	9.027	48	20.875	18.120	72	31.375	27.213	96	41.875	36.307


All dimensions are in inches.

JOB NAME:

SUBMITTED BY:

### PRODUCT FEATURES

- Decorative stamped grille for use with HVAC supply, return, and transfer applications.
- Many patterns available to enhance appearance of the space.
- Fabricated to exacting specifications for pattern, size, material, gauge, finish, and installation.
- See "How To Specify / Order" for available materials, finishes and options.



Qty	Order Size (Nom Duct Size)		Face Overall Size (O.D.)		Pattern #	Pattern Size		# of Patterns / Holes	Screw Holes / Location / Size / Qty					Actual Border		Material		Finish	Volume Control Damper	
	W	H	W	H		W	H		X	Y	S	Size	# Holes	W	H	Type	Thickness			

Notes: Grilles can be fabricated to most any specification. Here are "typical" specifications:

- Face Overall Size = Order Size + 2-1/2"
- Screw Hole Size: #8
- Actual Border calculated based on Order Size, Face Overall Size, and Pattern selected
- Opposed-blade volume damper can be tack welded directly to face. Some minor blemishes may be visible. Damper operator may be difficult to access (behind a fret).

All dimensions are in inches.

# SUBMITTAL SHEET

**SAG / 12.00 / 12.00 / P11 / 14 / 2.50 / ST / WH / N1**

**Model** \_\_\_\_\_  
**SAG** - Stamped Architectural Grille

**Nominal Duct Width** \_\_\_\_\_  
 06.00" to 36.00"

**Nominal Duct Height** \_\_\_\_\_  
 06.00" to 36.00"

**Pattern Number** \_\_\_\_\_  
 (see submittal library for available patterns)

**Face Gauge** \_\_\_\_\_  
 7 - (3/16")

- 8 - (8 GA)
- 10 - (10 GA)
- 12 - (12 GA)
- 14 - (14 GA)
- 16 - (16 GA)
- 18 - (18 GA)
- 20 - (20 GA)

- Overall Face Size** \_\_\_\_\_
- 2.00** - Order size plus 2"  
(Approx. 1" Border)
  - 2.50** - Order size plus 2-1/2"  
(Approx. 1-1/2" Border)
  - 3.50** - Order size plus 3-1/2"  
(Approx. 2" Border)

- Material** \_\_\_\_\_
- ST** - Steel
  - 04** - 304 Stainless Steel
  - 16** - 316 Stainless Steel
  - AL** - Aluminum
  - GZ** - Steel, Galvanized (G90)
  - 280** - Muntz Metal
  - 220** - Commercial Bronze

- Options**
- C6** - 1" Collar (20 GA thick)
  - N1** - No Screw Holes
  - 99** - Special Construction  
(Provide Details)

- Finish**
- WH** - Arctic White
  - 4P** - Satin Polish
  - ML** - Mill Finish
  - WE** - White Epoxy
  - SV** - Silver
  - LB** - Light Bronze
  - MB** - Medium Bronze
  - CB** - California Bronze
  - FB** - Flat Black
  - GB** - Gloss Black
  - BG** - Beige
  - GP** - Grey Primer
  - RP** - Rust Inhibiting Prime Coat
  - C1** - Custom Color Match #1  
Baked Enamel
  - C2** - Custom Color Match #2  
Baked Enamel
  - C3** - Custom Color Match #3  
Baked Enamel

**Custom Finishing Available**

**NOTE:** Pattern / Material Type / Material Gauge determine availability.  
 Contact your Anemostat Representative with specific requirements

All dimensions are in inches.