



# Anemostat® SUBMITTAL


1220 Watson Center Road • Carson, CA 90745-4206  
(310) 835-7500 • FAX (310) 835-0448  
air@anemostat.com • www.anemostat.com

## Model XEZTS SINGLE DUCT EXHAUST TERMINAL BELLMOUTH FEATURE

### AIR TERMINALS


#### PRODUCT FEATURES

- Efficient bellmouth entrance.
- 22 gauge zinc-coated steel, low leakage casing construction sealed to limit leakage to <1% of max rated flow at 3" w.g. static pressure.
  - Optional:
  - 20 gauge construction       Galvanized
  - 304/316 Stainless Steel
- 1/2" dual density insulation (NFPA 90A, UL 181).
  - Optional:
  - 1" dual density insulation
  - No insulation
- 90° inlet damper with leak resistant perimeter seal limiting leakage to <1% of max rated flow at 3" w.g. inlet static pressure.
- Multi-Point center averaging Velocity Wing air flow sensor for accuracy to ± 5% of design flow. Flow taps for air flow measurement provided with factory mounted controls.
- Slip & drive cleat inlet connection.
- Choice of right hand or left hand control position.
- Optional Accessories:
  - Unit mounting brackets (field installed)
  - Std. Control enclosure     Screw attached cover     Hinged front cover
  - Large control enclosure     Screw attached cover
- Control System     Electronic Analog     Digital     Pneumatic     Electric
  - None – No controls
- Control Package \_\_\_\_\_     Field Installed Controls



SIZE	D	W	H	X	Y	L	S	WEIGHT
05	4 7/8	10	10	8 3/4	8 3/4	13 11/16	3	9 LBS
06	5 7/8	10	10	8 3/4	8 3/4	14 7/16	3	9 LBS
07	6 7/8	12	10	10 3/4	8 3/4	14 5/32	3	11 LBS
08	7 7/8	12	10	10 3/4	8 3/4	14 9/16	4	11 LBS
09	8 7/8	14	12 1/2	12 3/4	11 1/4	16 3/8	4	15 LBS
10	9 7/8	14	12 1/2	12 3/4	11 1/4	16 1/4	4	15 LBS
12	11 7/8	16	15	14 3/4	13 3/4	20 7/16	5 1/2	19 LBS
14	13 7/8	20	17 1/2	18 3/4	16 1/4	20 1/4	5 1/2	23 LBS
16	15 7/8	24	17 1/2	22 3/4	16 1/4	20 5/16	6 1/2	28 LBS
24 x 16	24 x 16	38	18	38	18	30	5 7/16	79 LBS

NOTES:  
 • WEIGHTS ARE AN ESTIMATION AND WILL VARY BASED ON SELECTED OPTIONS, INSULATION TYPE, ETC.  
 • 36" CLEARANCE REQUIRED BY NEC FOR ELECTRICAL ENCLOSURES.  
 • 24 X 16 NOT ILLUSTRATED.  
 • ACCESS DOOR NOT AVAILABLE DUE TO SPACE CONSTRAINTS. IF ACCESS DOOR IS REQUIRED, EITHER XEZTA MUST BE ORDERED OR ACCESS DOOR MUST BE PROVIDED IN DUCT WORK BY OTHERS.



All dimensions are in inches.

JOB NAME:

SUBMITTED BY: