


9/16" X 9/16" SQUARE  
ON 11/16" CENTERS

67% Free Area



# Holes / Pattern Repeats		# Holes / Pattern Repeats		# Holes / Pattern Repeats		# Holes / Pattern Repeats	
1	0.563	15	10.188	29	19.813	43	29.438
2	1.250	16	10.875	30	20.500	44	30.125
3	1.938	17	11.563	31	21.188	45	30.813
4	2.625	18	12.250	32	21.875	46	31.500
5	3.313	19	12.938	33	22.563	47	32.188
6	4.000	20	13.625	34	23.250	48	32.875
7	4.688	21	14.313	35	23.938	49	33.563
8	5.375	22	15.000	36	24.625	50	34.250
9	6.063	23	15.688	37	25.313	51	34.938
10	6.750	24	16.375	38	26.000	52	35.625
11	7.438	25	17.063	39	26.688	53	36.313
12	8.125	26	17.750	40	27.375		
13	8.813	27	18.438	41	28.063		
14	9.500	28	19.125	42	28.750		


All dimensions are in inches.

JOB NAME:

SUBMITTED BY:

### PRODUCT FEATURES

- Decorative stamped grille for use with HVAC supply, return, and transfer applications.
- Many patterns available to enhance appearance of the space.
- Fabricated to exacting specifications for pattern, size, material, gauge, finish, and installation.
- See "How To Specify / Order" for available materials, finishes and options.



Qty	Order Size (Nom Duct Size)		Face Overall Size (O.D.)		Pattern #	Pattern Size		# of Patterns / Holes	Screw Holes / Location / Size / Qty					Actual Border		Material		Finish	Volume Control Damper	
	W	H	W	H		W	H		X	Y	S	Size	# Holes	W	H	Type	Thickness			

Notes: Grilles can be fabricated to most any specification. Here are "typical" specifications:

- Face Overall Size = Order Size + 2-1/2"
- Screw Hole Size: #8
- Actual Border calculated based on Order Size, Face Overall Size, and Pattern selected
- Opposed-blade volume damper can be tack welded directly to face. Some minor blemishes may be visible. Damper operator may be difficult to access (behind a fret).

All dimensions are in inches.

# SUBMITTAL SHEET

**SAG / 12.00 / 12.00 / P11 / 14 / 2.50 / ST / WH / N1**

**Model** \_\_\_\_\_  
SAG - Stamped Architectural Grille

**Nominal Duct Width** \_\_\_\_\_  
06.00" to 36.00"

**Nominal Duct Height** \_\_\_\_\_  
06.00" to 36.00"

**Pattern Number** \_\_\_\_\_  
(see submittal library for available patterns)

**Face Gauge** \_\_\_\_\_  
7 - (3/16")

- 8 - (8 GA)
- 10 - (10 GA)
- 12 - (12 GA)
- 14 - (14 GA)
- 16 - (16 GA)
- 18 - (18 GA)
- 20 - (20 GA)

- Overall Face Size** \_\_\_\_\_
- 2.00 - Order size plus 2"  
(Approx. 1" Border)
  - 2.50 - Order size plus 2-1/2"  
(Approx. 1-1/2" Border)
  - 3.50 - Order size plus 3-1/2"  
(Approx. 2" Border)

- Material** \_\_\_\_\_
- ST - Steel
  - 04 - 304 Stainless Steel
  - 16 - 316 Stainless Steel
  - AL - Aluminum
  - GZ - Steel, Galvanized (G90)
  - 280 - Muntz Metal
  - 220 - Commercial Bronze

- Options**
- C6 - 1" Collar (20 GA thick)
  - N1 - No Screw Holes
  - 99 - Special Construction  
(Provide Details)

- Finish**
- WH - Arctic White
  - 4P - Satin Polish
  - ML - Mill Finish
  - WE - White Epoxy
  - SV - Silver
  - LB - Light Bronze
  - MB - Medium Bronze
  - CB - California Bronze
  - FB - Flat Black
  - GB - Gloss Black
  - BG - Beige
  - GP - Grey Primer
  - RP - Rust Inhibiting Prime Coat
  - C1 - Custom Color Match #1  
Baked Enamel
  - C2 - Custom Color Match #2  
Baked Enamel
  - C3 - Custom Color Match #3  
Baked Enamel

**Custom Finishing Available**

**NOTE:** Pattern / Material Type / Material Gauge determine availability.  
Contact your Anemostat Representative with specific requirements

All dimensions are in inches.