


1/2" X 1/2" SQUARE
ON 5/8" CENTERS

64% Free Area



# Holes / Pattern Repeats		# Holes / Pattern Repeats		# Holes / Pattern Repeats		# Holes / Pattern Repeats	
1	0.500	16	9.875	31	19.250	46	28.625
2	1.125	17	10.500	32	19.875	47	29.250
3	1.750	18	11.125	33	20.500	48	29.875
4	2.375	19	11.750	34	21.125	49	30.500
5	3.000	20	12.375	35	21.750	50	31.125
6	3.625	21	13.000	36	22.375	51	31.750
7	4.250	22	13.625	37	23.000	52	32.375
8	4.875	23	14.250	38	23.625	53	33.000
9	5.500	24	14.875	39	24.250	54	33.625
10	6.125	25	15.500	40	24.875	55	34.250
11	6.750	26	16.125	41	25.500	56	34.875
12	7.375	27	16.750	42	26.125	57	35.500
13	8.000	28	17.375	43	26.750	58	36.125
14	8.625	29	18.000	44	27.375		
15	9.250	30	18.625	45	28.000		


All dimensions are in inches.

JOB NAME:

SUBMITTED BY:

PRODUCT FEATURES

- Decorative stamped grille for use with HVAC supply, return, and transfer applications.
- Many patterns available to enhance appearance of the space.
- Fabricated to exacting specifications for pattern, size, material, gauge, finish, and installation.
- See "How To Specify / Order" for available materials, finishes and options.



Qty	Order Size (Nom Duct Size)		Face Overall Size (O.D.)		Pattern #	Pattern Size		# of Patterns / Holes	Screw Holes / Location / Size / Qty					Actual Border		Material		Finish	Volume Control Damper	
	W	H	W	H		W	H		X	Y	S	Size	# Holes	W	H	Type	Thickness			

- Notes: Grilles can be fabricated to most any specification. Here are "typical" specifications:
- Face Overall Size = Order Size + 2-1/2"
 - Screw Hole Size: #8
 - Actual Border calculated based on Order Size, Face Overall Size, and Pattern selected
 - Opposed-blade volume damper can be tack welded directly to face. Some minor blemishes may be visible. Damper operator may be difficult to access (behind a fret).

All dimensions are in inches.

SUBMITTAL SHEET

SAG / 12.00 / 12.00 / P11 / 14 / 2.50 / ST / WH / N1

Model _____
SAG - Stamped Architectural Grille

Nominal Duct Width _____
06.00" to 36.00"

Nominal Duct Height _____
06.00" to 36.00"

Pattern Number _____
(see submittal library for available patterns)

Face Gauge _____

- 7 - (3/16")
- 8 - (8 GA)
- 10 - (10 GA)
- 12 - (12 GA)
- 14 - (14 GA)
- 16 - (16 GA)
- 18 - (18 GA)
- 20 - (20 GA)

Overall Face Size _____

- 2.00** - Order size plus 2"
(Approx. 1" Border)
- 2.50** - Order size plus 2-1/2"
(Approx. 1-1/2" Border)
- 3.50** - Order size plus 3-1/2"
(Approx. 2" Border)

Material _____

- ST** - Steel
- 04** - 304 Stainless Steel
- 16** - 316 Stainless Steel
- AL** - Aluminum
- GZ** - Steel, Galvanized (G90)
- 280** - Muntz Metal
- 220** - Commercial Bronze

Options

- C6** - 1" Collar (20 GA thick)
- N1** - No Screw Holes
- 99** - Special Construction
(Provide Details)

Finish

- WH** - Arctic White
- 4P** - Satin Polish
- ML** - Mill Finish
- WE** - White Epoxy
- SV** - Silver
- LB** - Light Bronze
- MB** - Medium Bronze
- CB** - California Bronze
- FB** - Flat Black
- GB** - Gloss Black
- BG** - Beige
- GP** - Grey Primer
- RP** - Rust Inhibiting Prime Coat
- C1** - Custom Color Match #1
Baked Enamel
- C2** - Custom Color Match #2
Baked Enamel
- C3** - Custom Color Match #3
Baked Enamel

Custom Finishing Available

NOTE: Pattern / Material Type / Material Gauge determine availability.
Contact your Anemostat Representative with specific requirements

All dimensions are in inches.