

APPLICATION

- Recommended for constant or variable air volume heating, cooling, or ventilating
- 360° air pattern delivery maintains coanda effect even at low air flow rates and minimizes smudging
- Surface mounted or suspended grid systems

PRODUCT FEATURES

- Die stamped cones – no mitered corners
- Uniform, 3 cone appearance regardless of neck size
- Removable inner cone assembly without use of tools
- Optional damper access through center hole with plug button
- Arctic White baked-on finish

DIFFUSER OPTIONS


- Aesthetic 4th cone
- Steel, aluminum, or stainless steel construction
- Custom or optional paint colors
- Inner cone deflectors (-D) to proportion air discharge quantity
- Model **VD** butterfly volume control damper
- Model **TBF** auxiliary mounting frame for hard / plaster ceilings
- All aluminum construction for MRI applications

Model E1 Shown



Model E1 shown with optional 4th cone



Model E1 / E1-D - Surface Mounted



INLET SIZE	NOM 12 X 12	NOM 24 X 24
4ø	•	•
5ø	•	•
6ø	•	•
8ø	•	•
10ø		•
12ø		•
14ø		•
15ø		•

4", 5", is 6" with adaptor

Model EPL / EPL-D - Lay-In T-Bar




PRODUCT FEATURES

- Die stamped cones with integral extension panel, no mitered corners
- Uniform, 3 cone appearance regardless of neck size





Model EPLX - Lay-In T-Bar



MODEL R6 MOLDED INSULATION BLANKET

PRODUCT FEATURES

- Thermal Resistance R = 6
- Factory Attached to Diffuser
- Vapor Barrier



APPLICATION

- Recommended for constant or variable air volume heating, cooling, or ventilating
- Field adjustable air delivery pattern from horizontal to vertical air projection for heating-cooling applications
- 360° air pattern delivery maintains coanda effect even at low air flow rates and minimizes smudging in horizontal pattern setting

PRODUCT FEATURES

- Die stamped cones – no mitered corners
- Integral pattern deflectors rotate to adjust air pattern
- Uniform, 3 cone appearance regardless of neck size
- Removable inner cone assembly without use of tools
- Optional damper access through center hole with plug button
- Arctic White baked-on finish

DIFFUSER OPTIONS

- Aesthetic 4th cone
- Steel or aluminum construction
- Custom or optional paint colors
- Model **VD** butterfly volume control damper
- Model **TBF** auxiliary mounting frame for hard / plaster ceilings




Model EPLA Shown




Model EPLA - shown with optional 4th cone

Model EPLA - Lay-In T-Bar



NOM INLET SIZE	24 X 24 GRID MODULE SIZE
6ø	3-11/16
8ø	
10ø	
12ø	
14ø	
15ø	

Model E1-A - Surface Mounted



AVAILABLE INLET SIZES
6ø
8ø
10ø
12ø
14ø
15ø